




PERFORMANCE CURVE

475 GPM

MODEL QF 160

FLOW RANGE: 95 - 680 GPM OUTLET SIZE: 5" NPT NOMINAL DIA. 8"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

6" MOTOR STANDARD, 10-60 HP/3450 RPM.

8" MOTOR STANDARD, 75-125 HP/3525 RPM.

* Alternate motor sizes available.

Performance conforms to ISO 9906 Annex A

@ 8 ft. min. submergence.



PERFORMANCE CURVE


475 GPM

MODEL QF 160

FLOW RANGE: 95 - 680 GPM

OUTLET SIZE: 5" NPT

NOMINAL DIA. 8"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

6" MOTOR STANDARD, 10-60 HP/3450 RPM.

8" MOTOR STANDARD, 75-125 HP/3525 RPM.

* Alternate motor sizes available.

Performance conforms to ISO 9906 Annex A
@ 8 ft. min. submergence.




TECHNICAL DATA

475 GPM

MODEL QF 160

DIMENSIONS AND WEIGHTS

MODEL NO.	FIG.	HP	MOTOR SIZE	DISCH. SIZE	DIMENSIONS IN INCHES					APPROX SHIPPING WEIGHT (lbs)	
					A	B	C	D	E	PUMP	MOTOR
QF160-1A	A	7.5	6"	5" NPT	48.8	24.2	24.6	5.4	7.0	51	99
QF160-1	A	10	6"	5" NPT	50.0	25.5	24.6	5.4	7.0	51	108
QF160-2B	A	15	6"	5" NPT	57.6	28.0	29.6	5.4	7.0	59	119
QF160-2	A	20	6"	5" NPT	60.2	30.6	29.6	5.4	7.0	59	132
QF160-3A	A	25	6"	5" NPT	67.8	33.1	34.6	5.4	7.0	69	145
QF160-3	A	30	6"	5" NPT	70.3	35.7	34.6	5.4	7.0	69	158
QF160-4AB	A	30	6"	5" NPT	75.4	35.7	39.7	5.4	7.0	78	158
QF160-4*	A	40	6"	5" NPT	82.9	43.3	39.7	5.4	7.0	78	220
QF160-5B	A	40	6"	5" NPT	88.0	43.3	44.7	5.4	7.0	90	220
QF160-5*	A	50	6"	5" NPT	103.3	58.5	44.7	5.4	7.0	90	308
QF160-6A*	A	50	6"	5" NPT	108.3	58.5	49.8	5.4	7.0	103	308
QF160-6*	A	60	8"	5" NPT	146.8	48.4	98.3	7.6	7.7	116	416
QF160-7*	A	60	8"	5" NPT	154.7	48.4	106.3	7.6	7.7	126	416
QF160-8	A	75	8"	5" NPT	166.9	52.8	114.2	7.6	7.7	136	447
QF160-9	A	100	8"	5" NPT	183.5	61.4	122.1	7.6	7.7	144	642
QF160-10	A	100	8"	5" NPT	191.4	61.4	130.0	7.6	7.7	154	642
QF160-11	A	100	8"	5" NPT	199.3	61.4	137.9	7.6	7.7	164	642
QF160-12	A	125	8"	5" NPT	214.4	68.5	145.9	7.6	7.7	174	642
QF160-13	A	125	8"	5" NPT	222.3	68.5	153.8	7.6	7.7	185	642
Pipe Adapter	A										



NOTES: All models suitable for use in 8" wells, unless otherwise noted.

*Alternate motors sizes available.