




**PERFORMANCE CURVE**

**800 GPM**

**MODEL QF 270**

FLOW RANGE: 220 -1400 GPM      OUTLET SIZE: 6 " NPT      NOMINAL DIA. 10"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
6" MOTOR STANDARD, 40 HP/3450 RPM.  
8" MOTOR STANDARD, 60-200 HP/3525 RPM.  
10" MOTOR STANDARD, 250 HP/3500 RPM.  
\* Alternate motor sizes available.

Performance conforms to ISO 9906 Annex A  
@ 10 ft. min. submergence.




**PERFORMANCE CURVE**

**800 GPM**

**MODEL QF 270**

FLOW RANGE: 220 -1400 GPM      OUTLET SIZE: 6 " NPT      NOMINAL DIA. 10"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.  
6" MOTOR STANDARD, 40 HP/3450 RPM.  
8" MOTOR STANDARD, 60-200 HP/3525 RPM.  
10" MOTOR STANDARD, 250 HP/3500 RPM.  
\* Alternate motor sizes available.

Performance conforms to ISO 9906 Annex A  
@ 10 ft. min. submergence.



**TECHNICAL DATA**

**800 GPM**

**MODEL QF 270**

DIMENSIONS AND WEIGHTS

MODEL NO.	FIG.	HP	MOTOR SIZE	DISCH. SIZE	DIMENSIONS IN INCHES					APPROX SHIPPING WEIGHT (lbs)	
					A	B	C	D	E	PUMP	MOTOR
QF270-1A	A	20	6"	6" NPT	56.1	30.6	25.5	5.4	8.3	64	132
QF270-1	A	30	6"	6" NPT	61.2	35.7	25.5	5.4	8.3	64	158
QF270-2AA*	A	40	6"	6" NPT	74.9	43.3	31.7	5.4	8.3	78	220
QF270-2A*	A	50	6"	6" NPT	90.2	58.5	31.7	5.4	8.3	78	308
QF270-2*	A	50	6"	6" NPT	90.2	58.5	31.7	5.4	8.3	78	308
QF270-2AA*	A	40	8"	6" NPT	76.3	44.9	31.4	7.6	8.6	78	361
QF270-2A*	A	50	8"	6" NPT	76.3	44.9	31.4	7.6	8.6	78	361
QF270-2*	A	50	8"	6" NPT	76.3	44.9	31.4	7.6	8.6	78	361
QF270-3AA*	A	60	8"	6" NPT	86.0	48.4	37.6	7.6	8.6	91	416
QF270-3A	A	75	8"	6" NPT	90.3	52.8	37.6	7.6	8.6	91	447
QF270-3	A	75	8"	6" NPT	90.3	52.8	37.6	7.6	8.6	91	447
QF270-4-AA	A	100	8"	6" NPT	105.1	61.4	43.7	7.6	8.6	105	642
QF270-4-A	A	100	8"	6" NPT	105.1	61.4	43.7	7.6	8.6	105	642
QF270-4	A	100	8"	6" NPT	105.1	61.4	43.7	7.6	8.6	105	642
QF270-5-AA	A	125	8"	6" NPT	115.3	65.5	49.8	7.6	8.6	119	642
QF270-5-A	A	125	8"	6" NPT	115.3	65.5	49.8	7.7	8.6	119	642
QF270-5	A	125	8"	6" NPT	115.3	65.5	49.8	7.7	8.6	119	642

NOTES: All models suitable for use in 10" wells, unless equipped with 10" motor.  
\* Alternate motor sizes available.




Fig. A